

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	132	725/54.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/13 18:32
S1	2	(multiplex\$3) and (limit threshold) and (frequency) and (upper adj bit adj rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/13 18:32
S2	85873	(multiplex\$3) and (limit threshold) and (frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/27 16:42
S3	1697	(multiplex\$3) and (limit threshold) and (frequency) and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/27 16:42
S4	400	(multiplex\$3) and ((limit threshold) same (frequency)) and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/27 16:43
S5	5	(multiplex\$3) and ((limit threshold) same (frequency) same adjust\$3 same exceed\$3) and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/27 16:44
S8	475	((low least) adj priorit\$3) with (delet\$3 eras\$3 remov\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 15:59
S9	20	((low least) adj priorit\$3) with (delet\$3 eras\$3 remov\$3) and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 15:59

EAST Search History

S10	2684	725/39-55.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 10:40
S11	4	"857491".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 16:39
S12	248	carousel and (bitrate (bit adj rate)) and frequency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 16:40
S13	205	carousel and (bitrate (bit adj rate)) and frequency and (decreas\$3 reduc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 16:40
S14	82	carousel and (bitrate (bit adj rate)) and frequency and (decreas\$3 reduc\$3) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 16:49
S15	205	(cyclic\$4 carousel) and (bitrate (bit adj rate)) and frequency and (decreas\$3 reduc\$3) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 16:50
S16	125	(cyclic\$4 carousel) and (bitrate (bit adj rate)) and frequency and ((decreas\$3 reduc\$3) with (rpg data information)) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 16:51
S17	49	(cyclic\$4 carousel) and ((sen\$4 transmit\$4) with (bitrate (bit adj rate))) and frequency and ((decreas\$3 reduc\$3) with (rpg data information)) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 16:52

EAST Search History

S18	65	((cyclic\$4 carousel) and ((sen\$4 transmi\$5) with (bitrate (bit adj rate))) and frequency and ((decreas\$3 reduc\$3) with (rpg data information)) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 16:52
S19	65	((cyclic\$4 carousel) and ((sen\$4 transmi\$5) with (bitrate (bit adj rate))) and frequency and ((decreas\$3 reduc\$3) with (epg data information)) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 16:52
S20	66	((cyclic\$4 carousel) and ((sen\$4 transmi\$5) with (bitrate (bit adj rate))) and frequency and ((decreas\$3 reduc\$3) with (epg data information (program adj guide))) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 17:07
S22	820	((cyclic\$4 carousel) and ((less low\$2 more equal) with (bitrate (bit adj rate))) and (frequency with (high\$2 more predetermin\$2 equal)) and ((decreas\$3 reduc\$3) with (epg data information (program adj guide))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 17:09
S23	5146	((less low\$2 more equal) with (bitrate (bit adj rate))) and (frequency with (high\$2 more predetermin\$2 equal)) and ((decreas\$3 reduc\$3) with (epg data information (program adj guide))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 17:10
S24	121	((less low\$2 more equal) with (bitrate (bit adj rate))) and (frequency with (high\$2 more predetermin\$2 equal)) and ((decreas\$3 reduc\$3) with (epg data information (program adj guide))) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 17:13
S25	77	((less low\$2 more equal) with (bitrate (bit adj rate))) and (frequency with (high\$2 more predetermin\$2 equal)) and ((decreas\$3 reduc\$3) near3 (epg data information (program adj guide))) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 17:13

EAST Search History

S26	39	((less low\$2 more equal) near3 (bitrate (bit adj rate))) and (frequency near3 (high\$2 more predetermin\$2 equal)) and ((decreas\$3 reduc\$3) near3 (epg data information (program adj guide))) and "725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 17:14
S27	3	("5448656" "6333948" "6389073").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/09 17:25
S28	0	S26 and S27	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/09 17:25
S29	0	S27 and frequency and (bitrate (bit adj rate))	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/09 17:40
S30	9805	satoru.in.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/09 17:40
S31	35	(inagaki and satoru).in.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/09 17:42
S32	0	(inagaki and satoru).in. and (etsumi).in.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/09 17:41
S33	20	(inagaki and satoru).in. and data	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/09 17:41
S34	7	(inagaki and satoru).in. and matushita.as.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/09 17:43
S35	0	"6337715".pn. and (frequency bit-rate (bit adj rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 17:50
S36	0	"6337715".pn. and (frequency bit-rate (bit adj rate) (transmission adj sequence))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 18:02
S37	70	sony.as. and (kubota and tatsuya).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 18:03

EAST Search History

S38	0	sony.as. and (kubota and tatsuya). in. and (multitplex)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 18:02
S39	0	sony.as. and (kubota and tatsuya). in. and (multitplex\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 18:02
S40	11	sony.as. and (kubota and tatsuya). in. and overflow\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 18:12
S41	157	(YAMAGISHI AND YASUAKI).IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 18:12
S42	122	(YAMAGISHI AND YASUAKI).IN. AND SONY.AS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 18:12
S43	35	(YAMAGISHI AND YASUAKI).IN. AND SONY.AS. AND PROGRAM\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 18:15
S44	1	"6389593".PN. AND (FREQUENCY BITRATE (BIT ADJ RATE))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 18:20
S45	0	"6389593".PN. AND (REDUC\$3 DECREAS\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 18:31

EAST Search History

S46	2	"6389593".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 18:31
S47	6	("4815030" "5675738" "5790198" "5798785" "5812929" "5828945").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/09 18:32
S48	3	("4815030" "5675738" "5790198" "5798785" "5812929" "5828945").PN. AND FREQUENCY	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/09 18:32
S49	4	MAINTAIN\$3 WITH (BIT-RATE (BIT ADJ RATE) (SEQUENCE)) WITH CAROUSEL	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/09 18:34
S50	169	(MAINTAIN\$3 WITH (BIT-RATE (BIT ADJ RATE) (SEQUENCE))) AND CAROUSEL	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/09 18:34
S51	148	(MAINTAIN\$3 WITH (BIT-RATE (BIT ADJ RATE) (SEQUENCE))) AND CAROUSEL AND (REDUC\$4 DECREAS\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/09 18:34
S52	18	(MAINTAIN\$3 WITH (BIT-RATE (BIT ADJ RATE) (SEQUENCE))) AND CAROUSEL AND (REDUC\$4 DECREAS\$3) AND ("725".CLAS. "348".CLAS.)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/09 18:35
S53	13	(MAINTAIN\$3 WITH (BIT-RATE (BIT ADJ RATE) (SEQUENCE))) AND CAROUSEL AND (REDUC\$4 DECREAS\$3) AND ("725".CLAS. "348".CLAS.) AND FREQUENCY	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/10 11:46
S54	20007	(decreas\$3 split\$4 reduc\$4) same frequency same (epg eit table\$1 (program\$4 adj guide))	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/10 11:49
S55	712	(decreas\$3 split\$4 reduc\$4) same frequency same (epg eit table\$1 (program\$4 adj guide)) and ("725". clas. "348".clas.)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/10 11:49
S56	203	((decreas\$3 split\$4 reduc\$4) with (epg eit table\$1 (program\$4 adj guide))) same frequency and ("725".clas. "348".clas.)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/10 14:40
S57	1310	((decreas\$3 split\$4 reduc\$4) near3 (data epg eit table\$1 (program\$4 adj guide))) same frequency and ("725".clas. "348".clas.)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/10 14:41

EAST Search History

S58	41	((decreas\$3 split\$4 reduc\$4) near3 (epg eit table\$1 (program\$4 adj guide))) same frequency and ("725".clas. "348".clas.)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/10 14:41
-----	----	--	------------------------------	----	----	------------------